

Den Braven Sealants bv

P.O. Box 194, 4900 AD Oosterhout, Denariusstraat 11, 4903 RC Oosterhout, The Netherlands
Telephone +31 (0) 162-491000, Fax General +31 (0) 162-451217, E-Mail: Info@denbraven.nl



SAFETY DATA SHEET

Zwaluw Fire Sealant 1200°

Reference : 7.65
Grade : kachelkt
Date : 14-11-2002
Replaces : previous sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name : Zwaluw Fire Sealant 1200°
Use of the product : Sealant for the building industry.
Supplier : See above
Emergency phone number : +31 (0) 413-268716 if no answer +31 (0) 161-451909 (after working hours)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization : Water based solution of sodium disilicate, inorganic fillers and additives.

<u>Hazardous ingredients =1% and toxic ingredients = 0,1%</u>	<u>CAS Number</u>	<u>Einecs Number</u>	<u>Weight %</u>	<u>Danger Symbol</u>	<u>Risk Phrases</u>
Sodium disilicate	1344-09-8	215-687-4	10-30	Xi	41-38

3. HAZARDS IDENTIFICATION

Potential health effects : Risk of serious damage to eyes.
Irritating to skin.

4. FIRST AID MEASURES

Eyes : In case of contact flush eyes immediately with plenty of water for at least 15 minutes.
Lift eyelids and rinse well underneath them. Get medical attention if irritation persists.
Mouth (ingestion) : Rinse mouth with water several times. Consult a physician and show this Safety Data Sheet.
Lungs (inhalation) : Fresh air and rest. Get medical attention if complaint persists.
Skin : Remove completely with a dry cloth or paper towel, before washing with detergent and water.
Get medical attention if irritation persists.
Clothes : Remove polluted clothing.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : CO₂, powder, foam and water spray.
Unsuitable extinguishing media : Unknown.
Special fire fighting procedures : Wear protective clothing and breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Keep away from drains and watercourses.
Clean up procedures : Wipe, scrape or soak up in inert material and put in a container for disposal.
Personal precautions : Wear proper protective equipment as described in the 'eye and skin protection' section of chapter 8.

7. HANDLING AND STORAGE

Handling : Handle in well-ventilated area. Avoid contact with skin, eyes and do not swallow.
Storage : Store in closed packing between 5°C and 25°C away from direct sunlight and other sources of heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit : Not applicable.
Respiratory protection : Avoid breathing the vapour. Maintain good ventilation.
Eye and skin protection : Avoid contact with skin and eyes. Wear safety glasses.
Industrial hygiene : When using do not eat, drink or smoke. Wash hands after work and before breaks.
Don't rub eyes with dirty hands.

Zwaluw Fire Sealant 1200°

Grade: kachelkt

SAFETY DATA SHEET

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: paste	Flash point	: >55	°C
Colour	: black/grey	Lower explosion limit	: Unk	vol-%
Odour	: slight	Upper explosion limit	: Unk	vol-%
Density (water=1)	: 2,05 g/ml	Ignition temperature	: Unk	°C
pH (water=7)	: 11-13	Vapour pressure	: Unk	mbar
Boiling point (water =100)	: Unk °C	Mixable with water	: yes	
Freezing point (water = 0)	: Unk °C	Mixable with organic solvents	: Unk	
		VOC-content	: 0	Weight-%

10. STABILITY AND REACTIVITY

Hazardous decomposition products	: Hydrogen gas in reaction with aluminium, zinc, tin and alloys of these.
Materials to avoid	: Reacts with aluminium, zinc, tin and alloys of these and form hydrogen gas which may form an explosive mixture with air.
Conditions to avoid	: Unknown.

11. TOXICOLOGICAL INFORMATION

Product information

Acute oral LD50 (mg/kg)	: Unknown.
Acute dermal LD50 (mg/kg)	: Unknown.
Acute inhalation LC50 (mg/l)	: Unknown.

Other information: Sodium disilicate may irritate skin, stomach, intestine, mouth, throat and respiratory system.
May also cause permanent damage to cornea.

For information on hazardous substances see 'chapter' 2.

12. ECOLOGICAL INFORMATION

Avoid uncured product will come in the environment.

Degradability	: Unknown.
Ecotoxicity	: Unknown.
WGK (Germany)	: Unknown.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local legislation.

14. TRANSPORT INFORMATION

By sea according IMDG-Code	: Not applicable.
By land according ADR	: Not applicable.
By air according ICAO/IATA-DGR	: Not applicable.
UN-number	: Not applicable.
Proper shipping name	: Not applicable.

15. REGULATORY INFORMATION

To the labelling requirements of EC Directives 67/548/EC and 1999/45/EC:

Danger symbol	: Xi Irritant
Contains	: Not applicable.
R-phrases	: 41 Risk of serious damage to eyes. 38 Irritating to skin.
S-phrases	: 2 Keep out of reach of children. 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 39 Wear eye/face protection. 46 If swallowed, seek medical advice immediately and show this container or label.
For DIY user	: Not applicable.

16. OTHER INFORMATION

This product safety data sheet conforms to EC Directive 91/155/EEC as well as its amendments including 2001/58/EC. This data is offered in good faith as typical values and not as product specifications. No warranty either expressed or implied, is hereby made. The recommended industrial and safe handling procedures are believed to be generally applicable, each user should review the recommendations in the specific context of the intended use and determine whether they are appropriate.

NA	: Not Applicable
Unk	: Unknown